

Subject Index

- A**quired immunodeficiency syndrome. *See* AIDS
- Acute gastroenteritis, 14
- Acute respiratory distress syndrome (ARDS), 199, 221
- Adaptation
- of host and pathogen, 299. *See also* Host-parasite interactions
 - and increased virulence, 173
 - in measles, 300
 - in myxomatosis, 299
 - and RVF emergence potential, 173
 - in smallpox, 300
 - and transmission efficiency, 176
- Adult respiratory distress syndrome, 352
- Advanced Very High Resolution Radiometer (AVHRR), 20, 113-16
- Aedes aegypti*
- changes in distribution of, 128
 - in chikungunya transmission, 126
 - in dengue fever transmission, 101, 134-35
 - in Oropouche virus transmission, 124
 - transmission indices for, 458
 - vector control and, 396
- Aedes albopictus*
- cell culture line of, 139
 - as endemic viruses vector, 128
 - invasion of North American by, 128, 457
- Aedes* spp., as RVF vectors, 169-70, 172
- African swine fever virus, 243
- African trypanosomiasis, 458
- environmental conditions and, 398
 - NDVI sensing and, 397
- AGH. *See* Arthrogryposis and hydranencephaly
- Agriculture
- economic growth and, 304
 - and human migration, 304-5
 - and new pathogen introduction, 203
 - and residual pesticide effects, 306
 - and tropical disease morbidity/mortality, 307-8
 - and tropical diseases, 305-8
 - and vector breeding places, 174
 - and water use, 305
- AHF. *See* Argentine hemorrhagic fever
- AIDS, 246, 297, 411
- anthropogenic nature of, 421
 - and bacillary angiomatosis, 5
 - and emerging diseases, 5, 9, 416
 - global epidemic of, 303
 - and health profile complexity, 285
 - and health transitions, 289
 - and increased vulnerability, 347, 416
 - invasion of Americas, 342
 - long-standing presence of, 4
 - measles lethality in, 299
 - opportunistic infections in, 353
 - social responses to, 278
 - surveillance of, 341
 - vaccination models and, 247
 - and vulnerability to infection, 5, 9, 341-42, 347, 353, 416
- Akabane virus, 141-42
- Alexandrium catenella*, 72, 77, 79
- Alexandrium excavatum*, 77, 84
- Alexandrium lusitanicum*, 81
- Alexandrium minutum*, 77, 82
- Alexandrium* spp., 82, 86
- Alexandrium tamarense*, 72, 77, 81-82
- Algal blooms. *See also* Harmful algal blooms
- and cholera seasonality, 15
 - and habitat loss, 18-19
 - over-harvesting and, 18
 - pathogen survival in, 17
 - pollution and, 18
 - remote sensing of, 20. *See also* Advanced Very High Resolution Radiometer; Coastal Zone Color Scanner; Sea-Viewing Wide Field Sensor
 - warming and, 19
- Aminoglycoside-resistant bacteria, 392
- Amnesic shellfish poisoning (ASP), 17, 86
- economic impact of, 87
 - geographic distribution of, 78, 83
 - Pseudonitzschia* and, 78
 - toxins causing. *See* Domoic acid
- Anabaena* spp., 82
- Anabaena variabilis*, 15
- Andean Rural Health Care (ARHC), 380
- Anisakiasis, 86
- Anopheles albimanus*, 399-400
- Anopheles freeborni*, 399-400
- Anopheles gambiae* complex, 457
- Anopheles minimus*, 307
- Anopheles pseudopunctipennis*, 401
- Anthropogenesis
- definition of, 319
 - demographic components of, 319-21
 - environmental influences of, 18
 - health behavior and, 320
 - migration in, 321-23
 - of new diseases, 319-23
- Anthropogenic diseases, 419-21
- Antimicrobial agents, resistance to, 341-47
- Aphanizomenon* spp., 82
- Apodemus* spp., 201-4

- Aquaculture
and new seafoods, 83-84
toxic phytoplankton and, 83
- Arbovirus diseases. *See also* Emerging arbovirus diseases; Reemerging arbovirus diseases
diagnosis of, 139-40
discovery of, 138-44
encephalitides, 458
finding new, 143-44
seasonal nature of, 138
- Arboviruses. *See also* Orphan viruses
families of, 139, 169, 183
genetic variability in, 127
identification of, 139-40
isolation of, 128, 138-40
surveillance networks for, 357
vectors of, 138
zoonotic nature of, 138
- ARDS. *See* Acute respiratory distress syndrome
- Arenaviridae, 130, 202-3
- Argentine hemorrhagic fever (AHF), 210
- ARHC. *See* Andean Rural Health Care
- Arthrogryposis and hydranencephaly (AGH), 141-42
Akabane virus and, 141-42
Cache Valley virus and, 142
- Ascophyllum nodosum*, 15
- ASP. *See* Amnesic shellfish poisoning (ASP)
- Aujesky's disease, 247
- AVHRR. *See* Advanced Very High Resolution Radiometer
- B**
Babesia divergens, 146, 153
Babesia microti
distribution of, 148-49
in first babesiosis outbreaks, 147
records of, 149
zoonotic nature of, 146-47
- Babesiosis
early sporadic infections of, 146-47
evolving distribution of, 147-49
first outbreaks, 147
reservoir hosts for, 150
vectors of, 146-47, 149-50
- Bacillary angiomatosis, 5
- Bacteria
drug resistance in. *See also* Antimicrobial agents
C. difficile, 7
enterococci, 347, 392
gonococci, 342
M. tuberculosis, 9, 350-51, 390-91
P. aeruginosa, 392
pneumococcus, 347, 351, 392
S. dysenteriae, 342, 347
staphylococci, 342, 391-92
in phytoplankton, 81
- BCMV. *See* Bean common mosaic virus
- Bean common mosaic virus (BCMV), 185-86
- Bean golden mosaic virus (BGMV), 11
crop damage caused by, 189
epidemiological characteristics of, 190
sporadic nature of, 190-91
sweet potato whitefly and, 188
- BGMV. *See* Bean golden mosaic virus
- Bioindicators
of climate change, 423-27, 429-33
of ecosystem health, 427-30
in ecosystem monitoring, 424-33
of ecosystem vulnerability, 423-33
indicator species, 423-33
- Biological adaptation. *See* Adaptation
- Biological evolution
assumptions, 436
hypotheses, 436-37
prediction and, 437
- Biomass shifts
and ecosystem health, 31-33
in U.S. Northeast Continental Shelf Ecosystem, 35-36
- Biomass yield
as ecosystem monitoring parameter, 29-31
LME monitoring strategy and, 35-37
in LMEs, 31-33
- BITNET, 358
- Bluegreen algae. *See* Cyanobacteria
- Borrelia burgdorferi*, 146
- Botulism, 350
- Bovine spongiform encephalopathy (BSE), 7, 352
- Bovine tuberculosis, 352
- Bovine viral diarrhea (BVD), 243-44
- Brevetoxins, 17, 71-72
- Bronchiolitis, 298
- Brucellosis, 352
- BSE. *See* Bovine spongiform encephalopathy
- Buccinum undatum*, 84
- Bunyaviridae, 139, 169
- BVD. *See* Bovine viral diarrhea
- C**
Cacao swollen shoot virus, 185
- Cache Valley virus, 142
- Calonyx musculus*, 203
- Canine distemper virus, 11
- Case fatality ratio (CFR)
in cholera, 63-65
in measles, 301
population density and, 301
in smallpox, 300
in virgin populations, 300
- Cat scratch disease. *See* Bacillary angiomatosis
- Caulerpa taxifolia*, 83

- CCAMLR. *See* Commission for the Conservation of Antarctic Marine Living Resources
- CDC. *See* Centers for Disease Control and Prevention
- Centers for Disease Control and Prevention (CDC), 21, 143, 364, 433
- in arbovirus studies, 139-40
 - enteric diseases report of, 315
 - and hantavirus pulmonary syndrome, 199-205, 211-12
 - and notifiable disease system, 348-53, 353-59
 - Universal Precautions, 427
 - and nosocomial amplification, 393
- Cestode infections, 272
- CFP. *See* Ciguatera fish poisoning
- CFR. *See* Case fatality ratio
- Chagas disease, 124, 314
- Chancroid, 316
- Chikungunya fever
- emergence of, 126
 - and orphan viruses, 140
- Chlamydia*, 316
- Chlamydia pneumoniae*, 363
- Cholangiocarcinoma, 306
- Cholera. *See also* Cholera el Tor; *Vibrio cholerae*; Waterborne diseases
- airline-food consumption and, 315
 - anthropogenic nature of, 420
 - CFR in, 63-65, 297
 - control of, 63-65, 337
 - epidemics of, 6, 51, 55-61, 98-99, 411
 - morbidity rate in, 58
 - recent outbreaks, 14-16
- in Latin America
- algal blooms and, 15, 62
 - aquatic reservoir of, 62
 - origin of, 61-62
 - pathogenic cultivars, 61
 - sporadic nature of, 62
- marine ecosystem reservoir of, 98-99
- prevention of
- successful programs for, 65
 - treatment of cases, 66
- reemergence of, 342, 355-56
- seasonality of, 15
- spread of, 6, 346-47
- and health-transition approaches, 285
 - in South America, 323, 355-56
- surveillance of, 355-56, 359
- transmission of
- environmental change and, 14-15
 - model for, 51-52
 - resistant *V. cholerae* and, 15-16
 - treatment for, ORT and RIT, 63
 - V. cholerae* survivability and, 48
- Cholera el Tor
- epidemics of, 55-58, 66
 - morbidity in, 58-59
 - protective factors against, 60-61
 - risk factors in, 58, 60
 - pandemic of, 55
- Chronic liver disease, 355
- Chrysomulina polypleps*, 17, 80, 98
- Ciguatera fish poisoning (CFP)
- economic impact of, 87-88
 - G. toxicus* and, 71
 - misdiagnosis of, 84-85
 - phytoplankton blooms and, 17
 - potential threat of, 74
 - toxins in, 71, 87
- Ciguatoxin, 87
- Citrus tristeza closterovirus (CTV), 185
- Clethrionomys glareolus*, 202, 210
- Climate
- and disease emergence, 127
 - and RVF emergence, 177
- Climate change
- biological indicators of, 423-27, 430-33
 - and ecosystem health, 427-31
 - and ecosystem vulnerability, 423-27, 430-31, 433
 - indices of, 433
 - potential consequences of, 69-74
 - warming
 - and algal blooms, 73-74
 - and Greenhouse Effect, 74
- Climate signals, 100-104
- Climate system, 423, 425-26
- Clostridium difficile*, 7
- Clostridium perfringens*, 99
- Coastal ecosystem health, 24-25. *See also* Large marine ecosystems
- global perspectives in, 37-38
 - LMEs management and, 25
 - UNCED recommendations for, 24
- Coastal Zone Color Scanner (CZCS), 20, 109
- Coccidioides immitis*, 365
- Coccidioidomycosis, 347
- Cochlodinium* spp., 80
- Coelospaerium* spp., 82
- Colitis, 7
- Collaborating Centres for Arbovirus Research and Reference (WHO), 139
- Commission for the Conservation of Antarctic Marine Living Resources (CCAMLR), 37
- Continuous Plankton Recorder (CPR) system, 34
- Copepods
- and toxigenic *V. cholerae*, 49-50
 - and *V. cholerae* survival, 81
 - and *V. cholerae* transmission, 99
- Coquillettidia*, 158

- Core marine ecosystem monitoring program, 33-34
- Cornell University, 139
- Corn stunt spiroplasma, 187
- Council of State and Territorial Epidemiologists (CSTE), 348
- Coxsackie virus, 139
- CPR. *See* Continuous Plankton Recorder system
- Cryptosporidiosis, 8, 347, 352
- Cryptosporidium*, 14, 351, 359
- CSTE. *See* Council of State and Territorial Epidemiologists
- CTV. *See* Citrus tristeza closterovirus
- Cucumoviruses, 186
- Culex pipiens*, in St. Louis encephalitis transmission, 127
- Culex* spp.
as "bridge" vectors, 172
as RVF vectors, 169-70
- Culicoides parvensis*, 135-36
- Culiseta melanura*, 158-66
- Cyanobacteria
toxins produced by, 82
and *V. cholerae* survival, 15
- Cyanobacteria blooms
conditions for, 19
geographic distribution of, 82
- Cyanobacteria-like bodies. *See* Cyclospora
- Cyclospora
and diarrhea, 411
identification of, 412
- Cylindrospermopsis raciborskii*, 82
- Cytomegalovirus, 392
- Cytotoxins, 82
- CZCS. *See* Coastal Zone Color Scanner
- D**ahlem Conference on Exploitation of Marine Communities, 37
- Deforestation
and arenavirus emergence, 430
in eastern United States, 150-51, 160-61
and epidemics, 277
- Demographic dynamics
and health transitions, 285-87
processes driving, 285-86
- Demographic transitions
definition of, 288-89
dimensions of, 290
and health transition boundaries, 289-91
within-family transmission and, 290
- Dengue fever, 138
anthropogenic nature of, 420
human activity and, 459
introduction into Americas, 128
outbreaks of, 342, 347
reemergence of, 142, 342
surveillance program for, 134-35
transmission indices for, 458
urbanization and, 277, 322
- Dengue-1 virus, 140
- Dengue-2 virus, 140
- Dermatoxins, 82
- Diarrhea
Cryptosporidium and, 359
cyclospora and, 411-12
Emerging Infections Program and, 355
as measles sequela, 298
surveillance for, 352
- Diarrhetic shellfish poisoning (DSP)
economic impact of, 87
geographic distribution of, 83
in new areas, 78
phytoplankton blooms and, 17
toxins causing
from *Dinophrys* spp., 72-73, 82
okadaic acid, 72, 78
- Dinoflagellates. *See also* Phytoplankton
and CFP, 17, 71, 74
and DSP, 7, 72-73, 78, 82-83, 87
and NSP, 17, 71-72, 74
and PSP, 17, 29, 72, 74, 77-78
- Dinophrys*, 72-73, 77
- Dinophysis*, 82-83, 86-87
- Dinophysis norvegica*, 78
- Dinophysis* toxin 1 (DITX1), 78
- Diphtheria, 5
reemergence of, 342
- Disease, outbreaks of, vaccine-preventable diseases, 5
- Disease patterns, 286
- Diseases. *See also* Arbovirus diseases; Emerging diseases; Infectious diseases; Plant diseases; Vector-borne diseases; Waterborne diseases
detection/diagnosis/control of, 367-68
in evolution, 1-12, 208-24, 408-17
evolving distribution of, 147-49
outbreaks of. *See also* Epidemics; Epizootic diseases
climate and, 127, 177, 430
ecosystem poor health and, 430
increased opportunity for, 8
seasonality of, 160, 169, 210
waterborne organisms in, 14-19
transmission of. *See* Disease transmission
- Disease transmission. *See also* Vector-borne diseases; Vector-borne pathogens; Vectors
air traffic and, 314-16
environmental change and, 14-16
human behavioral changes and, 124-25
insect-transmitted viruses and, 181-83
migration and, 6-7, 312-16, 328-33
models for, 51-52
reservoir host supply and, 123

- systems of, 419-20
 - technologic progress and, 7-10
 - tissue/organ transplants and, 7
 - vector distribution changes and, 128
 - via water, 45-46
 - DOD. *See* U.S. Department of Defense
 - Domoic acid
 - and ASP, 73
 - detection of, 71
 - as experimental parameter, 29-30
 - monitoring program costs, 87
 - production of
 - in non-axenic cultures, 81
 - by *Pseudonitzschia* spp., 78, 86
 - spread of poisoning by, 19
 - Drug resistance. *See also* under Bacteria and emerging diseases, 286, 341-47, 389-93
 - genetic variation and, 123-24
 - in malarial parasite, 123, 392, 459
 - and nosocomial amplification, 389-93
 - and nosocomial infections, 7
 - WHONET monitoring of, 341-45
 - DSP. *See* Diarrheic shellfish poisoning
 - DTX1. *See* *Dinophysis* toxin I
 - Dysentery, 368-69
- E**
- East African Virus Research Institute, 126
 - Eastern encephalitis (EE)
 - bird population changes and, 164-65
 - conservation trends and, 163, 166
 - environmental changes and, 160-61
 - history of, 157
 - mammal population changes and, 165-66
 - reservoirs of, 159-60
 - vectors of, 158-59
 - wetland changes and, 161-62
 - Eastern encephalitis (EE) virus
 - avian reservoirs of, 159-60
 - changes in, 164-65
 - first outbreaks of, 157
 - Highlands J virus and, 160
 - isolation of, 140
 - mosquito vectors of, 158-59
 - seasonality of, 160
 - Eastern equine encephalitis, 128
 - Ebola filovirus, 390
 - Ebola hemorrhagic fevers, 390, 411
 - Ebola outbreaks, 277, 390, 392
 - Economic growth
 - and environmental change, 303-10
 - and human migration, 304-5
 - and insect vectors, 303-6
 - and malaria prevalence, 303-8
 - and poverty, 305-9
 - and tropical disease transmission, 305-309
 - Ecosystem health
 - characteristics of, 427, 429
 - ecological change and, 429-30
 - stresses on, 425-27
 - vital signs of, 427, 429
 - Ecosystems, modeling/monitoring of
 - principles of, 430-31
 - on regional scale, 432-33
 - Ecosystem vulnerability
 - biological indicators of, 423-33
 - climate change and, 423-27, 430-31, 433
 - compounding of, 431
 - integrated assessment of, 423-27
 - measures of, 427, 429
 - EEZ. *See* Exclusive Economic Zone
 - Eichhornia crassipes*, 15
 - Eichhornia* spp., 399
 - El Niño
 - and algal blooms, 74
 - and cholera spread, 98-99
 - and HABs, 17-18
 - and hantavirus outbreak, 199
 - predictions of, 103
 - El Niño/Southern Oscillation (ENSO), 74, 103, 426
 - Emerging arbovirus diseases
 - new disease/new virus, 142-43
 - new disease/old orphan virus, 141
 - new disease/old virus, 126, 140
 - Emerging diseases. *See also* Emerging arbovirus diseases; Emerging epidemic diseases; New diseases; Reemerging diseases; Vector-borne emerging diseases
 - anthropogenesis of, 319-23
 - anticipation of, 418
 - future efforts in, 421-22
 - human behavior/environmental change in, 421
 - human migration/pathogen transport in, 420-21
 - transmission cycle classification and, 418-20
 - approaching the problem of, 349-50
 - awareness of toxic phytoplankton and, 86-87
 - biosocial nature of, 325-28
 - characterizing transmission in, 418-20
 - child care-related, 346-47
 - climate and, 177
 - definition of, 203
 - demographic factors and, 124
 - detection/surveillance/response to, 336-38
 - drug resistance and, 286, 341-47, 389-93, 459
 - eating habit changes and, 84-86
 - ecological change and, 429-30
 - ecological patterns and, 415-16

emergence

- analysis of, 126-27
- as complex evolutionary process, 408-17
- etiological pathways of, 441
- factors in, 174-77, 346-47
- patterns of change favoring, 415-17
- endemic prevalence and, 173-78
- environmental change and, 286
- epidemiology of, 129
- examples of, 347
- exposure distribution and, 334-35
- factors in, 346-47
- general concepts relating to, 4
- as global problem, 346-47
- global surveillance of, 341-45, 355-58
- and health profile complexities, 285-87
- and health transitions, 285-94
- hemorrhagic colitis, 351, 359
- HIV/AIDS and, 341-42, 347
- hospital/medical practice and, 318
- host genetic background and, 124
- human behavior and
 - institutionalization, 317-18
 - STDs, 316-17
- human factors and, 3-4, 124, 128, 203-4
- immunosuppression and, 124, 318
- implants/transplants and, 317-18
- infectious disease overlap with
 - and health profile complexities, 285
 - in poverty-related diseases, 285-86
- migration and, 6-7, 286, 312-18, 328-33
- mutagenesis/natural selection and, 416
- nosocomial amplifiers of, 389-93
- perspective on, 10-12
- processes in, 203-5
- programs for, 352-55
- prolonged diarrheal illness, 359
- public health measures breakdown and, 346
- recognition of, 4-5, 204, 367
- recognizing problem of, 347-49
- resistance to antimicrobial agents and, 346
- seafood toxins and, 77-89
- social patterns and, 416
- social sciences approach to, 276-82
- surveillance for, 346-60
 - consortium for, 358
 - enhancement of, 355-57
 - existing networks/facilities for, 358
 - new tools/approaches in, 357-59
 - objectives of, 343-44
 - WHONET program in, 341-45
- technologic progress and, 7-10, 124-25
- transdisciplinary approach to and complexity, 288-94
- epidemiological rationale for, 287-88
- U.S. surveillance for
 - CDC plan elements, 349, 359

enhancement of, 355-57

- improvement in, 349-50
 - new tools/novel approaches to, 357-59
 - notifiable diseases in, 350-51
 - population-based programs, 352-55
 - sentinel networks establishment, 351-52
 - vector distribution changes and, 128
 - vector population changes and, 457-58
 - vulnerability to
 - antimicrobial agents overuse and, 7
 - exposure and, 334-35
 - HIV/AIDS and, 5, 9, 416
 - immunosuppression therapy and, 5
 - tissue/organ transplants and, 7
 - WHONET program and, 341-45
- Emerging epidemic diseases
- anthropological perspectives, 276
 - biocultural research and, 277
 - factors in, 277
 - patterns of reaction to, 278-81
 - public health implications, 281-82
- Emerging Infections Programs, 352-55
- Emerging infectious diseases. *See* Emerging diseases
- EMEX. *See* Environmental Management of Enclosed Coastal Seas
- EMS. *See* Eosinophilia-myalgia syndrome
- Endemic prevalence, 173-78
- ENSO. *See* El Niño/Southern Oscillation
- Enterococcal infections, 347
- Enterococci, 392
- Environment
- economic growth and, 304-5
 - human influences on, 82-83
 - phytoplankton blooms effect on, 79-80
 - remote sensing of
 - in disease emergence, 396
 - for monitoring arthropod-borne disease, 396-401
 - remote sensing technology, 396-401
 - and distributions of disease vectors, 396-98
 - and malaria control, 398-401
 - toxic phytoplankton and, 80-81
 - tropical diseases and, 304
- Environmental changes
- and babesiosis emergence, 146-50
 - and disease emergence, 172-74, 286, 429-30
 - in eastern United States, 150-51, 160-62
 - economic growth and, 173, 303-10
 - and EE emergence, 157-66
 - historic/prehistoric record of, 80-81
 - human behavior and, 421
 - and Lyme disease emergence, 146-54
 - natural, 79-80
 - and phytoplankton blooms, 79-80
 - and population health conditions, 286

- and RVF emergence, 172-78
- and viral traffic, 203
- Environmental Management of Enclosed Coastal Seas (EMEX) report, 16
- Eosinophilia-myalgia syndrome (EMS), 352, 363-64
- Epidemic hemorrhagic fever, 201-2
- Epidemic intensity
 - and endemicity, 178
 - and RVF emergence potential, 173
- Epidemic polyarthritis and rash, 140, 142-43
- Epidemics. *See also* Pandemics
 - anthropological perspectives, 276
 - artifacts in, 124-25
 - of BGMV, 188-91
 - biocultural research on, 277
 - of cholera, 6, 49, 51, 55-61, 66, 98-99, 411
 - conditions giving rise to, 183-87
 - deforestation and, 277
 - dynamics of, 300-301
 - emergence factors and, 277
 - of hantaviruses, 199-200
 - in history, 232
 - of Lyme disease, 124-25
 - models describing, 232-40
 - of Oropouche fever, 141
 - orphan viruses and, 141-42
 - patterns of reactions to, 278-81
 - of plant viruses, 181-83, 187-88, 191-92
 - of VHF, 130-32
- Epidemic typhus, 459
- Epidemiological issues, in disease emergence
 - migration, 6-7
 - perspectives, 10-12
 - population vulnerability, 5
 - recognition, 4-5
 - technological progress, 7-10
- Epidemiological rationale
 - and emerging diseases, 287-88
 - and health transitions trends, 287
 - and infectious disease mortality rates, 287
- Epidemiology, 439
 - CDC/NIH training programs in, 353
 - circumstantial, 440-41
 - development of, 232-40
 - of disease emergence, 169-79
 - of eastern encephalitis, 157-66
 - ecological, 442
 - of emerging diseases, 129
 - of emerging plant diseases, 187-88, 191-92
 - etiologic, 441
 - evolutionary, 436, 442
 - integrated
 - conceptual framework for, 443-44
 - possibilities of, 444-49
 - mathematical, 442-43
 - and microecology, 98-99
 - of Ockelbo disease, 141
 - of ORO fever, 133-36
 - synoptic, 442
 - of VHF, 130-32
- Epizootic diseases, 11. *See also* Zoonoses
 - AGH, 141-42
 - arboviruses and, 140
 - babesiosis, 146-54
 - eastern encephalitis, 157-66
 - Lyme disease, 146-54
 - Rift Valley fever, 169-79
 - Venezuelan equine encephalitis, 123, 140
- Epizootiology, 149-50
- Erythema migrans (EM). *See* Lyme disease
- Escherichia coli*, 249
- Escherichia coli* O157:H7 infections
 - hemolytic uremic syndrome, 336, 351
 - hemorrhagic colitis, 347, 359
 - renal failure, 359
- Eutrophication
 - and algal blooms, 74
 - and biomass yields, 95
 - and cyanobacteria blooms, 82
 - human activities and, 82
 - in LMEs, 32-33
 - pollutants and, 18
 - and species imbalances, 82
- Evolution. *See also* Biological evolution
 - diseases in, 1-12, 208-24
 - of new/reemerging diseases, 408-17
 - of pathogen during outbreak, 263-66
- Exclusive Economic Zone (EEZ)
 - biomass production in, 31-32
 - and LME boundary, 26
 - marine resource management plan in, 37
- F**AO. *See* United Nations Food and Agricultural Organization
- Filariasis
 - anthroponotic nature of, 421
 - irrigation and, 306
 - mosquito vectors of, 459
- Filaroides*, 244
- Fish
 - in core monitoring program, 34
 - domoic acid contamination of, 19
 - and ecosystem management strategies, 29-30
 - over-harvesting of
 - and algal growth, 18
 - and LME disruption, 20, 26
 - and species shifts, 35-36
 - Fish biomass
 - as ecosystem monitoring parameter, 29
 - in LMEs, 31-32
 - trends in, 35-37
- Flaviviridae, 139
- Flavobacterium* sp., 81

- Gambierdiscus toxicus*, 71
Gastroenteritis, 14
GCOS. *See* Global Climate Observing System
GEF. *See* Global Environment Facility
Gene transfer, and "newly created" pathogens, 17, 20
Geographic information systems (GISs), 359
Giardia, 14
Giardiasis, 14, 347
transmission system of, 421
GISs. *See* Geographic information systems
Global Change System for Analysis, Research and Training (START), 426–27, 433
Global Climate Observing System (GCOS), 426, 433
Global Environment Facility (GEF), 39
GLOBAL ocean ECosystems dynamics (GLOBEC) program, 37–38
Global Ocean Observing System (GOOS), 37, 426, 433
Global Terrestrial Observing System (GTOS), 426, 433
GLOBEC. *See* GLOBAL ocean ECosystems dynamics program
Gloetrichia spp., 82
Gonococci, 342
Gonorrhea, 316–17, 346
mathematical model of, 272
GOOS. *See* Global Ocean Observing System
Greenhouse Effect, 74
Group C fever, 142–43
GTOS. *See* Global Terrestrial Observing System
Guama fever, 142–43
Guanarito virus, 202–3
failure to recognize, 131–32
geographic distribution of, 132
in rodent populations, 131
and VHF, 130–32
Guinea worm eradication resources, 357
Gymnodinium breve, 71–72, 74
blooms of, 17, 19, 71–72, 74, 97–98, 100, 116
establishment in South Atlantic Bight, 80
toxins from, 71–72
Gymnodinium catenatum, 72, 74
blooms of, 17, 72, 74, 80
historical record of, 81
Gymnodinium mikimotoi, 84
Gymnodinium nagasakiense, 81
Gymnodium spp., 82
Gyrodinium, 77
Gyrodinium aureolum, 80
geographic distribution of, 200–201
outbreak of, 199–205, 210–12
el Niño and, 199, 214
phylogeny of, 200–201
recognition, 208
reservoirs/hosts of, 131–32, 199–205, 209, 212–14, 220–24, 342
response to environmental change of, 429–30
seasonality and, 209–10
Hantavirus infections
and chronic diseases, 355
chronic nature of, 210
disease description, 209
disease in evolution, 208–24
Emerging Infections Program and, 355
epidemic hemorrhagic fever, 201–2
hantavirus pulmonary syndrome, 199–205, 347, 351, 359, 411
hemorrhagic fever with renal syndrome, 202, 357, 364
Korean hemorrhagic fever, 201–2
modeling of, 273
nephropathia epidemica, 202
Hantavirus pulmonary syndrome, 199–205, 347, 351, 359, 411
early appearance of, 200
emergence of, 342
non-classical hantavirus disease, 201–2
Harmful algal blooms (HABs). *See also* Harmful marine phytoplankton; Phycotoxins
poisonings associated with, 17
reports of, 17
toxins associated with, 17, 20
Harmful marine phytoplankton. *See also*
Harmful algal blooms; Phycotoxins
and shellfish toxicity, 69–74
Health profiles, 293
Health Transition Centre, 288
Health transitions
and complex systems, 285–94
demographic dynamics and, 285–87
demographic transition boundaries with, 289–91
as descriptive concept, 288
emerging diseases and, 285–86
framework formulation
epidemiological rationale for, 287–88
transdisciplinary approach to, 286–87
morbidity/mortality rates and, 290–91
population aging and, 285
and socio-economic development, 288–89
theories, 289
Health transitions complexity
"complex systems" notion, 292
concepts in, 288–93
non-morphological approach to, 292
transdisciplinary approach to, 286–87

- Health transitions trends
 epidemiological rationale and, 287
 processes affecting, 289
- Hemolytic uremic syndrome (HUS), 336, 351
- Hemorrhagic colitis, 351, 359
- Hemorrhagic fever and renal syndrome
 hantavirus and, 357, 364
 surveillance networks for, 357
- Hemorrhagic fever viruses, 392
- Hepatitis A, 347
- Hepatitis A virus, 16
- Hepatitis B, 316, 392, 421
- Hepatitis C, 355
- Hepatotoxins, 82
- Herpes simplex, 316, 392
- High Performance Computing and High Speed
 Networking Applications Act of 1993,
 358
- Histamine fish poisoning, 17
- Histocompatibility (MHC) antigens, 300
- HIV
 air travel and, 204, 323
 and emerging diseases, 341–42, 347
 human activities and, 204
 invasion of Americas, 341–42
 lethality of, 301
 and *Pneumocystis carinii*, 363
 rate increases in, 316–17
 transmission system of, 421
- HIV-infected population, 9
 immunosuppression in, 353
 and nontuberculous mycobacteria, 9
 and nosocomial amplification, 391
 tuberculosis upsurge in, 8, 391
 vulnerability of, 9
- Hospitals
 drug-resistant bacteria in, 392
 as nosocomial amplifiers, 389–93
 nosocomial flora of, 392
 respiratory-transmitted organisms in, 392
- Host-parasite interactions
 basic reproduction ratio (R_0), 242–43
 asymptomatic carriers and, 243–44
 as emerging-disease persistence predictor,
 247–48
 persistent infection mechanisms and,
 245–46
 recrudescence infections and, 244–45
 vertical transmission and, 243–44
 co-evolution in, 300–301
 mathematical models of, 249–50
 evolution of pathogenicity in, 246
 and infection spread, 246
 and parasite persistence, 242–48
 virulence evolution in, 249–50
- Hosts. *See also* Reservoirs
 and emerging diseases, 124
 during infection
 changes in, 262
 pathogen response to, 263–66
 in parasite life cycles, 304–6
- HTLV-1, 388, 392
- HTLV-2, 388, 392
- Human babesiosis. *See* Babesiosis
- Human behavior
 and anthropogenesis, 18, 321
 dimensions of, 320
 and emerging diseases, 4, 124–28, 203–4
 anthropogenesis, 321–22
 institutionalization, 317–18
 STDs, 316–17
 and environmental change, 421
 and pathogen transport, 421
 and RVF emergence, 174–75
- Human immunodeficiency virus. *See* HIV
- Human population movement. *See* Population
 mobility
- Hummingbird Highway, 120, 400
- HUS. *See* Hemolytic uremic syndrome
- Hypertensive end-stage renal disease, 355
- I**
- Iatrogenesis, 392
- ICSEM. *See* International Council for the
 Scientific Exploration of the
 Mediterranean Sea
- Idiopathic CD4 lymphocytopenia, 352
- IGBP. *See* International Geosphere-Biosphere
 Program
- ILT. *See* Infectious laryngotracheitis
- Immunosuppression
 chemotherapy and, 5
 HIV/AIDS and, 5, 124, 353
 opportunistic infections in, 353
 pathogenic consequences of, 124
 in special population groups, 353
 tissue/organ transplant and, 7
- INCLIN. *See* International Clinical
 Epidemiology Network
- Infectious diseases
 biosocial nature of, 325–28
 characteristics of, 4
 as leading cause of death, 346
 lethality of
 in immunosuppressed people, 299
 population genetic diversity and, 300
 in virgin populations, 300
 virulence and, 123, 298–99
 non-infectious disease overlap with, 286
 parasitic infections, 86
 persistence of, 11–12, 286
 population movement and, 312–16, 328–31
 spread of, 331–33
 velocity of, 246
 vulnerability to, 334–35
- Infectious laryngotracheitis (ILT), 244–45

- Influenza
 air flight transmission of, 316
 domestic surveillance network, 352
 outbreaks of, 391
 virulence changes in, 123
- Insects. *See also under* Vectors
 as biological indicators, 423-30
 and plant diseases. *See* Insect-transmitted plant pathogens
- Insect-transmitted plant pathogens (ITPPs)
 damage attributable to, 181-84
 most important families in, 181-83
- Insect vectors
 families of, 181
 and tropical diseases, 304
- Institute of Medicine (IOM), 321, 348
- Intergovernmental Oceanographic Commission (IOC), 37-39
- International Clinical Epidemiology Network (INCLEN), 357
- International Council for the Scientific Exploration of the Mediterranean Sea (ICSEM), 38
- International Council of Scientific Unions, 396
- International Geosphere-Biosphere Program (IGBP), 396, 426-27
- International Maritime Organization, 21
- International Organization on Migration, 314
- International Union for Conservation of Nature and Natural Resources (IUCN), 38
- INTERNET, 358-59
- IOC. *See* Intergovernmental Oceanographic Commission
- IOM. *See* Institute of Medicine
- Irrigation, and tropical diseases, 305-6
- ITPPs. *See* Insect-transmitted plant pathogens
- IUCN. *See* International Union for Conservation of Nature and Natural Resources
- The Ivanovsky Institute of Virology, 139
- Ixodes dammini*, 147, 149-50, 153-54
- Ixodes dentatus*, 149
- Ixodes mureis*, 147
- Ixodes pacificus*, 150, 153
- Ixodes persulcatus*, 149
- Ixodes ricinus*, 149-50, 153
- Ixodes scapularis*, 150, 153
- Ixodes* ticks
 abundance of, 153-54
 as babesia vectors, 146-47, 149-50
 as Lyme disease vectors, 146-50, 153-54
- Japanese encephalitis, 140
 irrigation and, 306
 transmission system of, 421
- JGOFS. *See* Joint Global Ocean Flux Studies
- Joint Global Ocean Flux Studies (JGOFS), 37-38
- Karelian fever. *See* Ockelbo disease
- Khanna Study
 acute diarrheal disease, 368-69, 371-77
 causes of death diagnoses, 372-74
 cholera, 368-70
 death rates
 age specific, 375, 377-78
 in second year of life, 371-72
 from 1896 to 1945, 368-70
 from 1955 to 1959, 372-73
 health survey, 369, 371
 infectious childhood diseases, 375
 measles, 372-73, 375
 pneumonia, 369, 371-73
 preventable deaths categories, 374-78
 results from, 371-78
 study design and method, 371
 tetanus, 371-74
 tuberculosis, 372-74
 uncontrolled quarantinable epidemics, 368-69
- Kyasanur Forest disease, 142, 277
- LaCrosse encephalitis, 143
- La Crosse virus, 243-44
- Large marine ecosystems (LMEs). *See also* U.S. Northeast Continental Shelf Ecosystem
 biomass yield in, 31-33
 boundaries of, 26, 32
 changing ecosystem states (health)
 indices measuring, 29
 monitoring of, 24-25, 33-34. *See also* Monitoring programs
 patterns/activities within, 29-31
 variables important to, 26, 28
 characteristics of, 25-26
 discussion of, 95-105
 EEZs and, 31-32
 eutrophication in, 32-33
 geographic limits of, 26
 health studies focus, 38-39
 list of, 27
 remote sensing of, 20
 and algal blooms, 20
 stresses in, 31-33
 stress mitigation for, 25
 UNCED recommendations for, 24-25
- Laryngitis (croup), 298
- Lassa fever, 277, 411, 419
 nosocomial outbreaks of, 342, 390, 392
- LCHR. *See* Longitudinal community health research
- Legionella pneumophila*
 and nosocomial pneumonia, 362-63
 PCR detection of, 16-17
 protozoan host of, 412
- Legionellosis, 4, 14
 emergence of

- co-evolution in, 412, 414
- factors in, 414
- nosocomial amplification of, 391
- Legionnaires' disease. *See* Legionellosis
- Leishmaniasis
 - demographic factors and, 124
 - environmental conditions and, 398
 - human hosts of, 306
 - monitoring reservoir hosts for, 458
 - urbanization and, 314
- Lemma minor*, 15
- Leprosy, 290
- Lipophilic organic compounds, 18
- LMEs. *See* Large marine ecosystems
- Long Island brown tide, 16
- Longitudinal community health research (LCHR). *See also* Khanna study
 - applications of, 378-81
 - concepts, 380
 - and detection/diagnosis/control connections, 367-68
 - diagnosis, 380-81
 - history of, 366-67
 - and new/resurgent disease recognition, 367
 - and practice, 381
 - and primary health care, 378-80
 - and resurgent diseases, 368-78
- Lyme disease, 4
 - in antiquity, 149
 - B. burgdorferi* and, 146
 - Borrelia*-specific antibody in, 149
 - "chain of causation" for, 458
 - deer abundance and, 124, 151-53, 272, 458
 - early sporadic infections, 146-47
 - Emerging Infections Program and, 355
 - environmental change and, 150-51
 - epidemic curve of, 124-25
 - epizootiology of, 149-50
 - in Europe, 149
 - evolving distribution of, 147-49
 - factors fostering emergence of, 346-47, 411
 - first outbreaks, 147
 - Ixodes* ticks and, 146-50, 153-54
 - model for elimination of, 272
 - Poco's model of, 247
 - public alert to, 336
 - reservoir hosts for, 150
 - transmission of, 124, 421
- Lyngbya* spp., 82
- M**AC. *See* *Mycobacterium avium* complex
- Maize bushy stunt mycoplasma, 187
- Maize rayado fino virus, 187
- Malaria, 346
 - anthropogenic nature of, 420
 - drug-resistant, 322
 - economic growth and, 303-8
 - environmental conditions and, 398
 - health-transition approaches to, 285
 - herd-immunity diminishment and, 125
 - irrigation and, 306
 - mathematical models of, 233-35, 238-39, 272
 - NASA project and, 398-99
 - nonimmune-population migration and, 459
 - nosocomial amplification potential of, 392
 - outbreak of, 457
 - resurgence of, 398
 - spread of, 285
 - transmission indices for, 458
 - in virgin populations, 301
- Malaria control
 - environmental protection and, 396-98
 - remote sensing technology and, 398-401
- Malaria parasite
 - drug-resistance development in, 123, 392, 459
 - genetic variation in, 123-24
 - transmission of, 123
 - vectors of, 398-401, 457, 459. *See also* *Anopheles* spp.
- Marburg virus, 277
- Marine ecosystem health, 13-14. *See also* Waterborne diseases
 - environmental factors in, 18-19
 - habitat loss, 18-19
 - over-harvesting, 18
 - pollution, 18
 - warming/algal blooms, 19
 - harmful algal blooms and, 17-18
 - research questions for, 21
- Marine ecosystems. *See also* Large marine ecosystems
 - and cholera emergence, 98-99
 - climate signals and, 100-104
 - as pathogen reservoirs, 98-99
 - stresses on, 95-98
 - waterborne diseases workshop report, 104-5
- Marine resource management programs, 37-38
- Marine viruses, 16
- Mathematical models, 232-40
 - after Ross, 238-39
 - beginnings of, 232-33
 - classical models, 235-37
 - examples of, 272-73
 - non-human reservoirs and, 239-40
 - of parasite persistence, 242-48
 - and public health interventions, 340
 - recommendations about, 273
 - Ross's models, 233-35
 - steady states, 237-38
 - stochasticity in, 238
 - uses of, 271
- Measles, 1, 346, 392
 - adaptation in, 300
 - and AIDS patients, 299

- in Americas, 322
- anthropogenic nature of, 420
- CFR in, 298, 301
- declines in, 2-3
- demographic changes and, 290
- health transitions and, 297
- history of, 297-98
- mortality decline in, 297
- pathology of, 298
- secondary infections in, 298
- vaccination model of, 272
- in virgin populations, 300
- Meningococcal infections, 10
- Meningococcal meningitis, 350
- Methicillin-resistant *Staphylococcus aureus* (MRSA), 391-92
- Metorhiz conjunctis*, 86
- MHC. *See* Histocompatibility antigens
- Microbes. *See also* Bacteria; Pathogens; Viruses
 - in imagery, 1, 3
 - necessity for, 1, 3
 - nucleic acid characterization of, 16-17
 - population characterization, 16-17
 - resistance to antimicrobials, 7, 9, 15-16
 - transmission routes of, 7. *See also* Migration
 - versatility of, 11-12
- Microbial emergence. *See* Emerging diseases
- Microcystis* spp., 82
- Microtus pennsylvanicus*, 200-202, 212
- Migration. *See also* Population mobility
 - and disease emergence, 321-22
 - and disease transmission, 322-23, 331-33
 - and drug-resistant malaria emergence, 459
 - and emerging diseases, 6-7, 286, 328-33
 - as epidemiological issue, 6-7
 - and exposure to new pathogens, 305, 321-22
 - and human population shifts, 320-21
 - and malaria outbreaks, 306-7
 - and new diseases, 321-22
 - and pathogen transport, 420-21
 - and poverty, 305-9
 - of susceptible populations, 305-6
 - of vulnerable populations, 5-7
- Mnemiopsis leidyi*, 6
- Mnemiopsis* spp., 82
- Models. *See also* Mathematical models
 - of AIDS epidemic, 236-37, 246
 - of Aujeszky's disease in pigs, 247
 - dynamics, 246
 - in emerging disease studies, 247-48
 - of evolution of virulence, 249-50
 - future of, 247-48
 - of malaria transmission, 233-35, 238-39, 272
 - for new/resurgent diseases, 225-31
 - of pathogen perpetuation
 - assumptions, 250-54
 - initial conditions, 254
 - results, 255-58
 - transmission scenarios, 254-55
 - Poco's model of Lyme disease, 247
 - of specific epidemics, 236
 - of spread of infections, 246
 - of *V. cholerae* in marine ecosystems, 269-70
 - of virus-elimination by vaccination, 247
- Monitoring programs
 - AVHRR in, 20
 - for changing states of LMEs, 24-25, 33-34
 - core marine ecosystem monitoring program, 33-34
 - CZCS in, 20
 - GLOBEC, 37-38
 - GOOS, 37
 - JGOFS, 37-38
 - parameters of, 29
 - recommendations for, 143
 - SeaWiFS in, 20
 - strategy in, 33-34
 - in U.S. Northeast Continental Shelf
 - Ecosystem studies, 29-31, 35-37
- Monkeypox, 419
- Moraxella*, 81
- Morbidity and mortality
 - in cholera el Tor, 58, 63
 - in EE, 287-88
 - in measles, 297
 - in non-infectious diseases, 297
 - population aging and, 290-91
- Morbidity and mortality transitions
 - as distinct processes, 291
 - epidemiological rationale and, 287
 - in health transitions, 290-91
 - smallpox and, 292
- Morbilliviruses, 16, 298
- Mortality. *See also* Case fatality ratio
 - from cholera, 63-65
 - decline in, 297
 - from measles, 297-98
- MRSA. *See* Methicillin-resistant *Staphylococcus aureus*
- Murray Valley encephalitis, 140
- Mus musculus*, 202
- Mutation
 - and cholera toxin gene, 17
 - and "newly created" pathogens, 17
 - of pathogen in infection, 263-66
 - in vector-borne viruses, 127
- Mycobacterium avium* complex (MAC), 9
- Mycobacterium tuberculosis*. *See also* Tuberculosis
 - drug resistance in, 9, 350-51, 390
- Mycoplasma pneumoniae*, 362
- Myxoma disease. *See* Myxomatosis
- Myxomatosis
 - adaptation in, 299
 - pathogenicity decline in, 123
- Myxomavirus, 123

- N**ational Institutes of Health (NIH)
 CDC/NIH epidemiology training programs, 353
 in infectious disease surveillance, 357
 National Marine Fisheries Service (NMFS), 26, 29, 35–37
 National Nosocomial Infection Surveillance (NNIS), 352
 National Respiratory and Enteric Virus Surveillance System (NREVSS), 352
 National Science Foundation (NSF), 37
 National Shellfish Sanitation Program, 70
 Natural Environment Research Council (NERC), 39
 NDVI. *See* Normalized Difference Vegetation Index
 Nematode infections
 of fig wasp, 299
 mathematical model of, 272
Neptunea decemcostata, 85
 NERC. *See* Natural Environment Research Council
 Neurotoxic shellfish poisoning (NSP)
 brevetoxins and, 17, 71–72
 in new area, 79
 potential threat from, 74
 Neurotoxins, 17, 71–72, 82
 New diseases. *See also* Emerging diseases;
 Longitudinal community health research
 anthropogenesis of, 319–23
 chikungunya fever, 126
 evolution of, 449–52
 and health-transition models predictability, 293
 lethality of, 301
 migration and, 321–22
 modeling strategy for, 225–28
 protection as goal of, 229–31
 rationality of, 228–29
 new viruses and, 142–43
 old diseases as, 300
 old viruses and, 141
 one-time event of, 126
 patterns favoring emergence of
 biological patterns, 416–17
 ecological patterns, 415–16
 social patterns, 416
 questions for study of, 227–28
 recognition of, 4–5
 research approaches to
 conceptual framework for, 405–17
 pattern recognition in, 413–17
 surveillance in, 413
 social sciences approach to, 275
 transdisciplinary research agenda on, 465–69
 New plant diseases. *See also* Plant diseases
 bean golden mosaic, 188–91
 conditions giving rise to, 183–87
 epidemiological potential for, 187–88
 insect-transmitted viruses and, 181–83
 plant virus epidemics and, 191–92
 NIH. *See* National Institutes of Health
Nitzschia pungens, 19, 73
Nitzschia pungens f. *multiseriis*, 73
 NMFS. *See* National Marine Fisheries Service
 NNIS. *See* National Nosocomial Infection Surveillance
 NOAA. *See* U.S. National Oceanic and Atmospheric Administration
Nodularia spp., 82
 Non-infectious diseases
 and aging population, 285, 287
 infectious disease overlap with, 286, 293
 mortality from, 287–88
 Nontuberculous mycobacteria. *See*
Mycobacterium avium complex
 Normalized difference vegetation index (NDVI)
 and African trypanosomiasis vector location, 397
 image of, 121
 and Rift Valley fever vector location, 397
 Northeast Fisheries Science Center, 26, 29
 Norwalk viruses, 16
 Nosocomial amplification
 cytomegalovirus and, 392
 hemorrhagic fever viruses and, 392
 herpes simplex potential for, 392
 HTLV potential for, 392
 medical establishments and, 389–91, 393
 medical intervention and, 392
 zoster potential for, 392
 Nosocomial infections, 7
 Nosocomial transmission, 389
 of Ebola hemorrhagic disease, 390
 of Lassa fever, 390, 392
Nosco spp., 82
 Notifiable disease surveillance
 and CDC, 348–53, 355–59
 strengthening of, 350–51
 NREVSS. *See* National Respiratory and Enteric Virus Surveillance System
 NSF. *See* National Science Foundation
 NSP. *See* Neurotoxic shellfish poisoning
- O**cean Studies Related to Living Resources (OSLR), 38
 Ockelbo disease, 141–42
 Onchocerciasis, 305
 O'nyong-nyong, 142–43
 Opisthorchiasis, 306
 Opportunistic infections, 353
 Oral rehydration therapy (ORT), for cholera, 63, 65
 ORO fever. *See* Oropouche fever
 Oropouche (ORO) fever, 141
 difficulty of recognition, 135

- emergence of
 - factors contributing to, 135-36
 - growing human population and, 136
 - epidemiology of, 133-36
 - symptomology of, 133
 - Oropouche (ORO) virus
 - C. parvaensis* vector of, 133
 - cycles of, 133
 - isolation of, 141
 - transmission of, 124
 - Orphan viruses
 - and emerging arboviral disease diagnosis, 140-41
 - matching diseases with, 142-44
 - ORT. *See* Oral rehydration therapy
 - Oscillatoria* spp., 82
 - OSLR. *See* Ocean Studies Related to Living Resources
 - Ostreopsis lenticularis*, 81
 - Outbreaks. *See under* Disease
- P**
- PAHO. *See* Pan American Health Organization
 - PAHs. *See* Lipophilic organic compounds
 - Pan American Health Organization (PAHO), 65
 - Pandemics. *See also* Epidemics
 - of AIDS, 301
 - of cholera el Tor, 49, 55
 - of influenza, 123
 - Pappataci fever, 138
 - PAR. *See* Photosynthetically active radiation
 - Paralytic shellfish poisoning (PSP)
 - different species producing, 78
 - dinoflagellates responsible for, 77
 - distribution of, 77-79
 - economic impact of, 87-88
 - geographic distribution of, 78, 83-84
 - HABs and, 17
 - in LMEs changing states index, 29
 - in new areas, 77-78
 - PSP toxins
 - from *A. tamarensis*, 81
 - in mackerel liver, 85
 - saxitoxins, 19
 - species producing, 77-78
 - spread of, 77-78
 - range extension of, 74, 82-83
 - recognition of, 72
 - Parasite persistence
 - asymptomatic carriers and, 244
 - host-parasite interactions and, 242-45
 - intermediate host density and, 246
 - long-lived free-living infective stages and, 244-45
 - mathematical models of, 242-48
 - mean number of sexual partners per host and, 245
 - vertical transmission and, 243-44
 - virulence-transmission association and, 246
 - Parasitic infections, mathematical model of, 272
 - Parasitodiplogaster* spp., 249
 - Pasteur Institute, 139, 357
 - Pathogenicity
 - environmental changes and, 16
 - of "harmless" commensals, 5
 - in host-parasite interactions, 246
 - of marine viruses, 16
 - Pathogens. *See also* Insect-transmitted plant pathogens; Microbes; Viruses
 - in algal blooms, 17
 - inherited, 249
 - marine ecosystem reservoirs of, 98-99
 - natural selection in
 - biogeographic change and, 266
 - evolution during outbreak, 263-66
 - genetic variation and, 260-62
 - host response and, 261-63
 - microevolution within infected host, 263
 - "newly created," 17
 - of newly-named diseases, 4
 - previously unknown, 6
 - transmission of. *See also* Disease transmission; Vector-borne pathogens
 - anthropogenic, 419, 421
 - human behavior and, 421
 - human migration and, 420-21
 - R_0 and, 242-44
 - systems of, 418-20
 - virulence and, 249-58
 - zoonotic, 419, 421
 - transport of, 420
 - PCBs. *See also* Lipophilic organic compounds and ecosystem dynamics, 18
 - in whale deaths, 19
 - PCR. *See* Polymerase chain reaction
 - Pediatric and Adult/Adolescent Spectrum of Human Immunodeficiency (HIV) Disease Projects, 352
 - Pegoscapus*, 249
 - Peromyscus gossypinus*, 200-201
 - Peromyscus maniculatus*, 199-200
 - Peromyscus* spp., 199-200, 202, 212-14
 - Pertussis, 359
 - Pfiesteria piscimorte*, 79
 - Phaeocystis* spp., 79, 82
 - Photosynthetically active radiation (PAR), 29
 - Phycotoxins, 70-71. *See also* Harmful algal blooms; Harmful marine phytoplankton
 - brevetoxins, 17, 72
 - ciguatera toxin, 71
 - domoic acid, 19, 29, 71, 73, 78, 81, 86-87
 - saxitoxins, 17, 19, 29, 72
 - toxicity of, 71

- Phytoplankton
 habitat spread of, 82
 organisms in, 81
- Phytoplankton blooms
 bacterial effect on, 81
 eutrophication and, 82
 historic/prehistoric data on, 80–81
 increasing frequency of, 88–89
 and natural environmental changes, 79–80
- Phytoplankton toxicity
 detection methods for, 87
 increased awareness of, 86–87
- Pinworms, 290
- Plague, 297, 368–70
 in virgin populations, 301
- Plankton. *See also* Phytoplankton
 monitoring of
 by CPR system, 34
 in LMEs, 33
 V. cholerae isolation from, 15
 as *V. cholerae* reservoir, 49–51
- Plant diseases. *See also* New plant diseases
 conditions giving rise to, 183–84
 ecological/social changes, 184–85
 evolution of bioengineered organisms in
 environment, 187
 evolution towards greater virulence, 186
 new habitat creation, 185
 new hybrid/recombinant pathogens, 187
 pathogen meets susceptible populations,
 185
 pathogens spill over from other species,
 186
 plant population vulnerability increases,
 185–86
 susceptible plant population enters
 pathogen habitat, 185
 etiological agents causing, 181
 transmission of, 181–83
- Plant pathogens. *See also* Insect-transmitted plant
 pathogens; Plant viruses
 bacteria, 181
 fungi, 181
 mycoplasmas, 181, 187
 spiroplasmas, 181, 187
 vectors of, 184
 viroids, 181
- Plant viruses
 bean common mosaic virus (BCMV),
 185–86
 cacao swollen shoot badnavirus, 183, 185
 citrus tristeza closterovirus (CTV), 185
 cucumoviruses, 186
 epidemics of, 181–83, 191–92
 families of, 182–83
 Fiji reovirus, 181
 insect-transmitted, 187–88
 insect vectors of, 181
 maize rayado fino virus, 187
 potato Y potyvirus (PVY), 185, 187
 rice hoja blanca tenuivirus, 182–83
 rice yellow mottle sobemovirus, 185
 transmission modes for, 183
- Pneumococcus. *See Streptococcus pneumoniae*
- Pneumocystis carinii*, 363, 391
- Pneumonia
 causality perceptions, 362–65
 community-acquired, 355
 Emerging Infections Program and, 355
 drug resistance in, 347
 as measles sequela, 298
 as nosocomial infection, 363
 pneumococcal, 346–47
- Pogosta disease. *See* Ockelbo disease
- Poliomyelitis
 declines in, 1–3
 eradication resources, 356–57
 outbreak in USSR, 5
- Pollution
 and algal blooms, 18
 and eutrophication, 32
 in LMEs, 32
 and viral pathogenicity, 16
- Polymerase chain reaction (PCR)
 hantavirus detection by, 199
 microbial genes detection by, 16–17
 as rapid diagnostic method, 459
 and *V. cholerae* toxin gene detection, 17
- Population aging
 and emerging diseases, 285
 and health care needs
 consequences of overestimating, 294
 financial pressure from, 287
 risks of overestimating, 293
 and health profile evolution, 293
 and morbidity/mortality transitions, 292
 and non-infectious diseases, 285
 mortality rate from, 287
- Population mobility. *See also* Migration
 diseases related to, 286
 and emerging diseases, 6–7, 312–18,
 328–33
 and pathogen transport, 175–76
 and STDs, 316–17
 and urbanization, 312–17
- Potato Y potyvirus (PVY), 185, 187
- Poverty
 and disease patterns, 286
 diseases related to, 286
 economic growth and, 305–9
 and infectious/non-infectious disease overlap,
 286
- PROMED network, 427
- Prorocentrum lima*, 78
- Prorocentrum* sp., 77
- Pseudoisochrysis* sp., 50

- Pseudomonas aeruginosa*, 342, 392
Pseudomonas spp., 99
Pseudonitzschia australis, 73, 78, 86
Pseudonitzschia pseudodelicatissima, 19, 73, 78
Pseudonitzschia pungens f. *multiseries*, 81
PSP. See Paralytic shellfish poisoning
Public health interventions
 indirect effects of, 339
 mathematical models and, 340
Public health issues, 14–21
PVY. See Potato Y potyvirus
Pyrodinium bahamense, 17, 74
Pyrodinium bahamense var. *compressum*, 72, 74, 78
- R**₀. See Basic reproduction ratio
Rabies, 420, 458
Rapid intravenous rehydration therapy (RIT), 63, 65
Rattus norvegicus, 202, 208
Red tide. See *Gymnodinium breve* blooms
Reemerging arbovirus diseases, 140–43. See also Arbovirus diseases
 old disease/old orphan virus/new location, 142
 old disease/old virus/new location, 141–42
Reemerging diseases. See also Emerging diseases;
 Reemerging arbovirus diseases;
 Resurgent diseases
 analysis of emergence, 126–27
 concepts of, 380
 definition of, 203
 in India. See Khanna Study
 nosocomial infections, 363
 public health controls breakdown, 346
 recognition of, 367
 resistance to antimicrobials and, 346
 surveillance for, 346–60
Remote sensing. See also Remote sensing
 images; Remote sensing technology
 of algal blooms, 20
 of *Anopheles* spatial distribution, 399–401
Remote sensing images
 of chlorophyll concentrations, 112
 of Earth's biosphere, 109
 of Florida Current, 115
 of global plankton concentrations, 110–11
 of GulfStream meander pattern, 114, 116
 of Hummingbird Highway area, 120
 map of LMEs, 108
 of Mediterranean Sea, 118
 of NDVI for Africa, 121
 of pigment distribution off South America, 117
 of SST, 113
 of upwelling dynamics, 119
- Remote sensing technology, 396–98
 and disease vector spatial distribution, 397–98
 and environmental protection, 396–98
 and malaria control, 398–401
Reoviridae, 139
Research agenda
 development of, 453–55, 462–64
 for monitoring/containing vector-borne diseases, 457
 environmental change, 459–60
 human populations, 459
 intervention technology, 460
 modified research support system, 460–61
 nonhuman reservoir hosts, 458–59
 vector hosts, 457–58
proposals for, 456
transdisciplinary research
 dealing with complexity, 466
 ecology and policy, 465
 evolution, 465–66
 general research priorities, 468–69
 prediction, 466–67
 surveillance, 467–68
- Reservoirs
 for babesiosis, 150
 birds as, 159–60, 164–65, 239, 458
 and disease transmission, 123
 of EE virus, 159–60
 of hantaviruses, 199–205
 model for bovine tuberculosis reservoirs, 272
 monitoring nonhuman hosts, 458–59
 monitoring vector hosts, 457–58
 nonhuman, 239–40
 of *V. cholerae*, 44–52
 vectors and, 124
Respiratory disease (unexplained), 364
Resurgent diseases. See also Reemerging diseases
 conceptual framework for, 405–7
 diagnosis of. See Longitudinal community
 health research
 patterns favoring emergence of
 biological patterns, 416–17
 ecological patterns, 415–16
 social patterns, 416
Rhabdoviridae, 139
Rhizodinium fontanum, 50
Rift Valley fever (RVF)
 epidemiology of, 169–71
 isolation of, 140
 NDVI sensing and, 397
 reemergence of, 342
Rift Valley fever (RVF) emergence, 347
 environmental changes and, 172–74
 factors contributing to
 biological adaptation, 176
 climatic events, 177

- economic development/changing land use, 174
human demography, 174-75
international travel/commerce, 175-76
and future reemergence, 177-78
- Rift Valley fever (RVF) virus
cycles of, 169-70
mosquito vectors of, 169-72, 174
transmission of
ecology of, 171-72
and new emergence of, 172
principal routes of, 170
system of, 420-21
vaccination and, 175
- Rinderpest, 246
- RIT. *See* Rapid intravenous rehydration therapy
- Rocio encephalitis, 143
- Rocio virus, 126, 143
- The Rockefeller Foundation, 288
- The Rockefeller Foundation Virus Laboratories, 139-41. *See also* Yale Arbovirus Research Unit
- Rodents. *See also* under Vectors
as biological indicators, 423, 426, 428-30
as reservoir hosts, 131-32, 199-205, 209, 212-14, 220-24, 342
- Ross River virus, 140-41
- Rubella, 420
- Rubeola. *See* Measles
- RVF. *See* Rift Valley fever
- S**
- Salmonella*, 99, 351
- Salmonellosis, 315, 352
- Sandfly fever Naples virus, 140
- Sandfly fever Sicilian virus, 140
- Saxitoxins
cells containing, 72
as experimental parameter, 29
G. catenatum production of, 17
and PSP, 19, 84
- Schistomes, 304
- Schistosomiasis, 306-7, 420
- Scorbroid fish poisoning, 85, 87-88
- Scrapie, 7
- Scrub typhus, 459
- Seafood products
and anisakiasis, 86
harvesting of, 83-84
and parasitic infections, 86
toxic dinoflagellates and, 83
- Seafood toxin illness, 87
economic impact of, 87-88
- Seafood toxins. *See also* Toxins
and ASP poisoning, 78
domoic acid, 19, 29-30, 71, 73, 78, 81, 86-87
DSP toxins, 78
DTX1, 78
and emerging diseases, 77-89
new toxic events, 77-79
and NSP poisoning, 79
okadaic acid, 78
PSP toxins, 77-78
- Sea Surface Temperature (SST), 113, 456
- Sea-Viewing Wide Field Sensor (SeaWiFS), 20, 456
- Seaweeds. *See* *Ascophyllum nodosum*
- SeaWiFS. *See* Sea-Viewing Wide Field Sensor
- Serratia, 392
- Sexually transmitted diseases (STDs)
air travel and, 323
persistence in, 245
population density and, 317
recent increases in, 316
- Shigella*, 342, 347
- Shigellosis, 347
airline-food consumption and, 315
- Sigmodon alstoni*, 131-32
- Sindbis virus, 141
- Sir Alister Hardy Foundation for Ocean Science, 39
- Sleeping sickness. *See* African trypanosomiasis
- Smallpox, 1, 337, 368-70
adaptation in, 300
in Americas, 322
declines in, 2
eradication of, 11
mortality decline in, 297
in virgin populations, 300
- Southern cornleaf blight, 11
- Species shifts and abundances, in U.S.
Northeast Continental Shelf Ecosystem, 35-36
- Spirochetosis. *See* Lyme disease
- SPOT satellite
malaria vector distribution imaging by, 120
remote sensing by, 397, 400
- SSPE. *See* Subacute sclerosing panencephalitis
- SST. *See* Sea Surface Temperature
- St. Louis encephalitis, 126-27, 140
- St. Louis encephalitis virus, 126-27
- Staphylococcal food poisoning, 315
- Staphylococcus aureus*, 342, 391-92
- Staphylococcus epidermidis*, 392
- START. *See* Global Change System for Analysis, Research and Training
- Streptococcal infections, 10
- Streptococcus pneumoniae*, 392
- Subacute sclerosing panencephalitis (SSPE), 298
- Surveillance
CDC proposal for, 352-55
for drug-resistant pathogens, 341-47, 352
for emerging diseases, 336-38, 341-45, 349-60, 419-20
funding for, 403-4

- global, 341-45, 355-57
 - institutions and, 387-88
 - national notifiable disease surveillance system, 350-51
 - new tools and approaches to, 357-60
 - population-based Emerging Infections Programs, 352-55
 - possibilities and limitations of, 383-87
 - in prevention strategy, 413
 - projects/locations for, 354
 - sentinel networks, 351-52
 - Susceptibility to infection. *See also* Vulnerability
 - HIV/AIDS and, 5, 9, 341-42, 347, 353, 416
 - species differences in, 8
 - Swine flu, 390-91
 - Syphilis, 316-17
- T**
- tetanus, 1-2
 - Tetrapus* spp., 249
 - Tetrodotoxin (TTX), 81
 - Theory of Happenings, 235
 - Tick-borne encephalitis (TBE), 140, 146, 153
 - Tick-borne relapsing fever, 459
 - Togaviridae, 139
 - Tomato gemini virus, 11
 - Tomato mosaic tobamovirus (strain 1), 187
 - Toxic shock syndrome, 4, 346
 - Toxins. *See also* Harmful algal blooms; Harmful marine phytoplankton; Phycotoxins; Seafood toxins
 - algal sources of, 16-17, 20
 - amines, 84
 - biological effects of, 18
 - ciguatera toxin, 84-85
 - of cyanobacteria, 19, 82
 - cytotoxins, 82
 - dermatotoxins, 82
 - DTX1, 78
 - hepatotoxins, 82
 - lipophilic organic compounds, 18
 - and LME stress, 32
 - neurotoxins, 82
 - new classes of, 79, 82-83
 - plankton blooms and, 31
 - tetramine, 85
 - TTX, 81
 - V. cholerae* production of, 50
 - Toxocara canis*, 244
 - Transmission. *See also* Disease transmission
 - characterization of, 418-20
 - genotypic change and, 176
 - in host-parasite interaction, 243-44
 - host survival and, 123
 - international travel/commerce and, 175-76
 - models for, 250-54
 - of ORO virus, 124
 - of RVF virus
 - ecology of, 171-72
 - principal routes of, 170
 - transovarial, 138, 170, 172
 - vaccination impact on, 175
 - vertical, 170, 243-44
 - virulence and, 123, 249-58, 299
 - Transmission cycles, 418-20
 - Trichodesmium* spp., 82
 - Trichomoniasis, 316
 - Tristeza of citrus, 11
 - Tropical diseases
 - agriculture and, 305-8
 - economic development and, 303
 - and economic growth, 305-10
 - and environment, 304
 - lack of immunity in, 304
 - and water, 304
 - Trypanosoma cruzi*, 314
 - Trypanosoma equiperdum*, 244
 - TTX. *See* Tetrodotoxin
 - Tuberculosis. *See also* *Mycobacterium tuberculosis*
 - air flight transmission of, 315-16
 - deaths from, 8-10
 - in developed countries, 303
 - history of, 8-10
 - in HIV-infected population, 8
 - multidrug-resistant, 9, 350-51, 391
 - nosocomial amplification of, 391
 - pseudovertical transmission of, 244
 - as reemerging disease, 1, 346-47, 359
 - spread of
 - and health-transition approaches, 285
 - migration and, 322
 - urbanization and, 8
 - Tungro virus of rice, 11
 - Typhoid fever, 315

U

 - UNCED. *See* United Nations' Conference on Environment and Development
 - UNCLOS. *See* United Nations Convention for the Law of the Sea
 - UNEP. *See* United Nations Environment Program
 - UNICEF. *See* United Nations International Children's Fund
 - United Nations' Conference on Environment and Development (UNCED), 24-25
 - United Nations Convention for the Law of the Sea (UNCLOS), 25
 - United Nations Environment Program (UNEP), 37-39
 - United Nations Food and Agricultural Organization (FAO), 37-39
 - United Nations International Children's Fund (UNICEF), 65
 - University of California at Berkeley, 139
 - University of Wisconsin, 139

- Urbanization
 and epidemics, 277
 and homelessness, 314
 population mobility and, 312-17
 of rural diseases, 314
 and STDs, 316-17
 trends in, 312-14, 320
 and tropical disease spread, 314
 and tuberculosis, 8
- U.S. Agency for International Development (USAID), 357
- U.S. Department of Defense (DOD), 357
- U.S. Food and Drug Administration, 70
- U.S. National Institutes of Health (NIH), 139
- U.S. National Oceanic and Atmospheric Administration (NOAA)
 AVHRR use, 20
 ecosystem health indices, 26, 29
 and LME studies, 39
 and NDVI plotting, 397
 Northeast Shelf Ecosystem study, 35-37
 weather surveillance regions defined, 433
- U.S. Northeast Continental Shelf Ecosystem
 biomass shifts in, 35-37
 eutrophication of, 31
 management strategies for, 30-31
 monitoring strategy for, 33-34
 studies of, 35-37
 subareas of, 26, 29-30
- USAID. *See* U.S. Agency for International Development

- V**ector-borne diseases. *See also* Insect-transmitted plant pathogens; Vector-borne emerging diseases
 chikungunya fever, 140
 eastern encephalitis, 157-66
 human babesiosis, 146-50
 human population monitoring and, 459
 Lyme disease, 146-54
 monitoring/containing, 457-61
 Oropouche fever, 129, 133-36
 Rift Valley fever, 169-79
 seasonality of, 126
- Vector-borne emerging diseases, 126-28
 chikungunya fever, 126
 Rocio encephalitis, 126
 St. Louis encephalitis, 126-27
- Vector-borne pathogens. *See also* Arboviruses;
 New plant diseases
 demographic factors and, 124
 discussion, 123-25, 195-98
 environmental change and, 125
 genetic constancy of, 123
 human behavioral changes and
 dengue fever prevalence, 124
 Lyme disease transmission, 124-25
 ORO virus transmission, 124

and human migration, 459
 mutation frequency in, 127
 transmissibility of, 123-24
 virulence of, 249-58

- Vectors. *See also* Disease transmission
 of arboviruses, 138-44
 "bridge" vectors, 172
 changes in distribution of, 128
 of EE virus, 158-59
 insects as, 11, 124, 135-36, 181-91. *See also*
Aedes; *Anopheles*; *Coquillettidia*; *Culex*;
Culiseta
 intervention technology and, 460
 migration and, 6
 mites as, 184
 monitoring of, 457-58
 nematodes as, 184
 rodents as, 131-32, 342
 ticks as, 124, 146-50, 153-54
- Veneral spirochetosis, 243
- Venezuelan equine encephalitis, 123, 140, 143
- Venezuelan hemorrhagic fever (VHF)
 epidemiology of, 130-32
 frequency of, 130-32
 Guanarito virus and, 130-32, 202-3
 re-emergent nature of, 136
S. alstoni and, 131
 transmission of, 131
 cotton rat vector, 131
 zoonotic, 421
- VHF. *See* Venezuelan hemorrhagic fever
- Vibrio cholerae*. *See also* Cholera
 in the Americas, 19
 autochthonous nature of, 44, 48, 51
 dormant state of, 15, 44-47
 nutrient deprivation and, 46
 economic impact of, 88
 el Tor strain
 epidemics of, 55-64
 survival of, 66
 migration route of, 6, 14-15
 multiple drug-resistant strains of, 15-16
 non-O1 strain of, 15-17, 44, 47-49, 62
 O139 Bengal strain of, 15-16, 21, 61, 342,
 355, 456
 O1 strain of, 15-17, 44-47, 49-51, 58,
 60-62, 66
 in phytoplankton, 81
 reservoirs of
 environmental, 15, 44-52
 marine, 98-99
 plankton, 49-51
 seasonality of, 48-49
 spread of, 82
 survival of
 copepods and, 81
 dormancy and, 49
 in environmental waters, 44-48
 in estuarine waters, 47-48

- plankton and, 50–51
 salinity and, 49
 water hyacinth and, 15
 temperature-salinity adaptation of, 48–50
 toxigenic strains of, 50–51, 355
 toxin production by
 algae and, 50
 in microcosms, 50
 salinity and, 50
 transmission model for, 51
 viable-non-culturable state of, 44–47
 vibriocidal acidic fruits and, 60–61
- Virulence**
 adaptation and, 299–300
 definition of, 250, 298–99
E. coli phage and, 249
 LD₅₀, 299
 and lethality, 298–99
 models of evolution of, 249–50
 pathogen competition models and, 250
 reproductive success and, 299
 and transmission, 123, 249–50, 299–300
 transmission pattern and, 299
 of vector-borne pathogens, 249–58
 and virgin populations, 300
- Viruses, 7–8, 11. See also** Arboviruses; Marine viruses; Orphan viruses
 alphaviruses, 140
 arenaviruses, 130, 202–3
 of EE, 160
 genetic changes in, 127
 Junin, 203
 marine, 16
 of ORO fever, 124, 133–35
 phleboviruses, 169
 plant virus families/groups, 181–83
 of RVF, 169–72
 vector-borne, 123–24, 126–28
 of VHF, 130–32
- Vulnerability**
 of ecosystems, 423–33
 to infectious diseases, 334, 347–48
 population genetic diversity and, 300
 reduction of, 335
- W**aterborne disease outbreaks (WBDOs), 14–21
- Waterborne diseases**
 acute gastroenteritis, 14
 aquatic environment health and, 14–21
 cholera, 14–16
 cryptosporidiosis, 14
 giardiasis, 14, 347, 421
 marine viruses and, 16
 “new diseases” problem, 104
 interventions and, 105
 modeling for prediction of, 104–5
 new toxic events, 77–79
 as public health issues, 14–21
 technological advances and, 16–17
 WBDOs. *See* Waterborne disease outbreaks
 Western encephalitis, 140
 Wetlands Protection Act of 1974, 163
 Whitefly, 11, 272
 WHONET. *See* World Health Organization
 Wildlife bovine tuberculosis reservoirs model, 272
 World Bank. *See* Global Environment Facility
 World Climate Program, 426
 World Health Organization (WHO)
 and arbovirus/hemorrhagic fever surveillance, 357
 Collaborating Centres for Arbovirus Research and Reference, 139
 and Ebola outbreak investigation, 390
 and infectious disease surveillance, 143
 and integrated monitoring project, 456
 and international monitoring consortium, 427
 and LMEs monitoring, 21
 WHONET program of, 341–45
- Y**ale Arbovirus Research Unit, 139
- Yellow fever, 138, 347**
 anthroponotic nature of, 421
 epidemics of, 127–28
 reemergence of, 342, 347
 transmission system of, 421
- Z**oonoses, 419, 421. *See also* Epizootic diseases
 babesiosis, 146–50
 eastern encephalitis, 157–66
 in Europe, 149
 giardiasis, 421
 hantavirus infections, 342
 Lyme disease, 146–54
 rabies, 420
 RVF, 420
 surveillance networks for, 352
 transmission system and, 419
 vector-borne, 419–20
 VHF, 421
 Zoster, 392

Index of Contributors^a

- A**nderson, P. K., 181-194, 195, 198,
327-329, 387, 439-444, 445-447, 462
- B**erkelman, R., 210-212, 215-224,
346-361, 384-385, 387-388
- Brinkmann, U. K., 303-311
- Bryan, R. T., 346-361, 383, 386-388
- C**ash, R., 195, 215-216, 332-333, 462
- Chen, L. C., 319-324, 330-331, 403
- Colwell, R. R., 44-54, 98-99, 103, 197,
386, 451-452
- E**ckardt, I., 103, 383-384, 408-417, 450
- Epstein, P. R., 13-23, 101-103, 220,
326-328, 403-404, 423-435, 448,
450-451, 456
- F**ineberg, H., 101, 104, 327-328
- Ford, T. E., 13-23
- G**arenne, M., 297-302, 445
- Garrett, L., 215, 219, 221, 223-224,
312-318, 327, 332-333, 387-388,
389-395, 447-450, 462
- Glasser, J., 297-302
- H**uq, A., 44-54
- K**iszewski, A. E., 249-259
- Komar, N., 157-168, 217, 222
- L**eDuc, J., 208-210, 215, 218-223,
341-345
- Levins, R., xv-xvi, xvii-xix, 104, 195, 218,
225-231, 260-270, 297-302,
325-326, 329-330, 386-387, 405-407,
447-448, 462-463
- M**akhoul, N., 447, 449
- Marques, M. B., 285-296
- Mata, L., 55-68, 101-102, 196, 331-332
- Monath, T. P., 99, 126-128, 195-197
- Morales, F. J., 181-194
- Morse, S. S., 101-102, 199-207, 195,
212-214, 215-217, 219-223, 332,
436-438, 445-446, 463
- P**inner, R. W., 346-361
- Possas, C. de A., 13-23, 285-296, 330,
446-447
- Puccia, C., 13-23, 198, 225-231
- R**oberts, D. R., 220, 223, 396-402, 404
- Rodriguez, M. H., 396-402
- S**herman, K., 24-43, 95-97
- Shope, R. E., 138-145, 217, 219, 222, 329,
385-386, 403
- Sloof, R., 104-105, 444-445
- Smith, G., 198, 242-248, 333, 445
- Sommerfeld, J., 276-284
- Spielman, A., 157-168, 196, 198, 221-223,
249-259, 383, 457-461
- T**esh, R. B., 129-137, 383, 385
- Tester, P. A., 69-76, 96-97, 100-101,
463-464
- Tikhomirov, E., 341-345
- Todd, E. C. D., 77-94, 98
- W**ilson, M. E., xi-xiii, 1-12, 222,
362-365
- Wilson, M. L., 169-180, 418-422
- Wyon, J., 366-382

^a Numbers in italics indicate comments made in discussions.